

# 1. Identification of Substance & Company

#### **Product**

**Product name** Trade Depot PU Foam

Product code S2023 HSNO approval HSR002515,

Approval description Aerosol (Flammable) Group Standard 2020

UN number 1950
Proper Shipping Name AEROSOLS
DG class 2.1

DG class2.1Packaging groupNAHazchem codeNA

**Uses** Polyurethane resin solution

**Company Details** 

Company Trade Depot LTD 306 Neilson Street,

Onehunga Auckland 1061

Telephone New Zealand +64 9 636 1111 Website www.tradedepot.com

**Emergency Telephone Number: 0800 764 766 (NZ Poisons Centre)** 

## 2. Hazard Identification

#### **Approval**

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002515, Aerosol (Flammable) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

## GHS 7 Classes Hazard Statements

Flammable aerosol category 1 H222 - Extremely flammable aerosol.

H280 - Contains gas under pressure; may explode if heated.

Acute toxicity category 4 (inhalation) H332 - Harmful if inhaled.

Eye irritant category 2 H319 - Causes serious eye irritation.

# SYMBOLS

# **DANGER**





#### **Other Classifications**

There are no other classifications that are known to apply.



## **Precautionary Statements**

**Prevention** P103 - Read label before use.

P210 - Keep away from ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source. P251 - Pressurized container: Do not pierce or burn, even after use.

P261 - Avoid breathing vapours/spray\*.
P264 - Wash hands thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection.

**Response** P101 - If medical advice is needed, have product container or label at hand.

P304+P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P312 - Call a POISON CENTRE or doctor/physician if you feel unwell.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Storage P410 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

**Disposal** P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

# 3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Diphenylmethanediisocyanate, isomers and homologues	9016-87-9	44%
dimethyl ether	115-10-6	8.6%
propane	74-98-6	0.00
isobutane	75-28-5	0.00
Polyol	53637-25-5	37%

This is a commercial product whose exact ratio of components may vary slightly. Trace quantities of impurities are also likely.

### 4. First Aid

## **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid Ready access to running water is recommended. Accessible eyewash is facilities

**Exposure** 

Swallowed IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse

mouth. Do NOT induce vomiting. Give a glass of water to drink.

**Eye contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

**Skin contact** This product is non-irritating to skin. No further measures should be required.

**Inhaled**Generally, inhalation of fumes/vapours/dusts is unlikely to result in adverse health

effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a dector.

side) for transport and contact a doctor.

**Advice to Doctor** 

Treat symptomatically

## 5. Firefighting Measures

Fire and explosion hazards: This product is a flammable aerosol. Containers can build up pressure if exposed to

heat and/or fire and may explode. Vapours may form an explosive mixture with air. Vapours can travel to a source of ignition and flash back. Will float and can be re-

ignited on surface water. Will burn if involved in a fire.

Suitable extinguishing substances:

Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or alcohol resistant foam.

Page 2 of 7 November 2023

Product Code: S2023



Unsuitable extinguishing

substances:

Unknown.

Products of combustion:

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other

low-lying spaces, forming potentially explosive mixtures.

Protective equipment:

Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code:

# 6. Accidental Release Measures

**Containment** If greater than 3000L is stored, secondary containment and emergency plans to

manage any potential spills must be in place. Prevent product from entering

environment.

Emergency procedures In the event of a large spillage alert the fire brigade to location and give brief

description of hazard. Shut off all possible sources of ignition.

Wear protective equipment to prevent skin, eye and respiratory exposure.

Clear area of any unprotected personnel. Contain spill. Prevent by whatever means

possible any spillage from entering drains, sewers, or water courses.

If spray or gas escapes, increase ventilation.

Clean-up method Collect product and seal in properly labelled containers or drums for disposal. If

contamination of crops, sewers or waterways has occurred advise local emergency

services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or

salvage. Recycle containers wherever possible. This material may be suitable for

approved landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation

of vapour. Work up wind or increase ventilation.

# 7. Storage & Handling

Storage Keep out of reach of children. Protect from sunlight. Do not expose to temperatures

exceeding 50°C. Store in a well ventilated, cool, dry place. Keep away from heat,

sparks, and flame.

Handling Read product label before use. Obtain special instructions before use. Do not handle

until all safety precautions have been read and understood.

This product is highly flammable. Do not use near open flame, or sources of ignition. No smoking. Pressurized container: Do not pierce or burn, even after use. Use outdoors or in well-ventilated area. Wear protective gloves and eye protection. Wash hands with soap and water after handling. Contaminated work clothing should not be allowed out of the workplace. Wash protective clothing before reuse and separate to

household laundry.

# 8. Exposure Controls / Personal Protective Equipment

# **Workplace Exposure Standards**

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds Ingredient

WES-TWA 0.02mg/m<sup>3</sup>

WES-STEL 0.07mg/m<sup>3</sup>

Diphenylmethanediisocyanate

dimethyl ether

400ppm, 766mg/m<sup>3</sup> simple asphyxiant 800ppm 1900mg/m<sup>3</sup>

500ppm, 958mg/m<sup>3</sup> not established not established

propane isobutane

Page 3 of 7 November 2023

Product Code: S2023



## **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

#### **Personal Protective Equipment**

#### General

Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate.

Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

Eyes



Avoid contact with eyes. Do not spray near eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

Skin

Avoid repeated or prolonged skin contact. If discomfort is felt (e.g., if pre-existing conditions exist, such as dermatitis, cuts or sensitive skin), gloves may be helpful. If you suffer from dermatitis type skin conditions, use gloves. Neoprene, Nitrile, Latex or butyl rubber gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Wash hands after handling.

## Respiratory



A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with an organic vapour cartridge. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

#### **WES Additional Information**

Not applicable



# 9. Physical & Chemical Properties

Appearance coloured liquid
Odour solvent odour
Odour Threshhold no data
pH no data
Freezing/melting point no data
Boiling Point >75°C
Flashpoint 0

Flammability
Upper & lower flammable limits

0

Vapour pressure
Vapour density

Specific gravity/density Solubility

Partition coefficient
Auto-ignition temperature

Decomposition temperature
Viscosity
Particle Characteristics

# 10. Stability & Reactivity

Stability Stable

Conditions to be avoided Flammable substance. Keep away from sources of ignition at all times. Containers

miscible in water

Oxides of carbon

0

0

should be kept closed in order to avoid contamination.

Incompatible groups Oxidising agents
Substance Specific none known
Incompatibility

Hazardous decomposition

products

Hazardous reactions none known

# 11. Toxicological Information

#### Summary

IF SWALLOWED: Low oral toxicity, but will irritate mouth, throat and stomach. IF IN EYES: causes serious eye irritation resulting in pain, watering, redness.

IF ON SKIN: no effect anticipated.

IF INHALED: harmful if inhaled. May irritate respiratory tract.

#### **Supporting Data**

Acute Oral Using LD<sub>50</sub>'s for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture

is >2,000 mg/kg. Data considered includes:

**Aspiration** This mixture is not considered an aspiration hazard.

Dermal Using LD50's for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the

mixture is >2,000 mg/kg.

Inhaled Using LD50's for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the

mixture is >5mg/L/4h. Data considered includes: Diphenylmethanediisocyanate, isomers and homologues 490 mg/m³ (rat, dust/mist inhalation) = 0.49mg/L (rat).

Eye The mixture is considered to be an eye irritant, because some of the ingredients

present are considered eye irritants in more concentrated form.

Skin The mixture is not considered to be a skin irritant.

**Chronic** Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer. No ingredient present at concentrations > 0.1% is considered a mutagen.

MutagenicityNo ingredient present at concentrations > 0.1% is considered a mutagen.CarcinogenicityNo ingredient present at concentrations > 0.1% is considered a carcinogen.Reproductive /No ingredient present at concentrations > 0.1% is considered a reproductive or

**Developmental** developmental toxicant or have any effects on or via lactation.

Systemic developmental toxicant or nave any effects on or via lactation.

No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known.

existing conditions



# 12. Ecological Data

#### Summary

This mixture is not considered ecotoxic to the environment. In all cases prevent run-off to drains, sewers and waterways.

**Supporting Data** 

**Aquatic** Using EC<sub>50</sub>'s for ingredients, the calculated EC<sub>50</sub> for the mixture is > 100 mg/L.

**Bioaccumulation** Not readily biodegradable

**Degradability** No data

**Soil** No evidence of soil toxicity.

**Terrestrial vertebrate**This mixture does not trigger classification as ecotoxic towards terrestrial vertebrates.

**Terrestrial invertebrate**No evidence of toxicity towards terrestrial invertebrates.

**Biocidal** no data

# 13. Disposal Considerations

**Restrictions**There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging. Do not incinerate.

# 14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for transport.

UN number: 1950 Proper shipping name: AEROSOLS

Class(es) 2.1 Packing group: NA
Precautions: No ignition sources. Hazchem code: NA

# 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002515, Aerosol (Flammable) Group Standard 2020. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

#### **Specific Controls**

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 3000L is stored.

Certified handler Not required.

Tracking Not required.

Bunding & secondary containment

Signage

Required if > 3000L is stored.

Required if > 1000L is stored.

Required if > 3000L is stored.

Flammable zone Must be established if > 3000L is stored.

Fire extinguisher If > 3000L present.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Page 6 of 7

November 2023 Product Code: S2023

# TRADE DEPOT LOW PRICES. ALWAYS

# Trade Depot PU Foam Safety Data Sheet

## Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

## 16. Other Information

**Abbreviations** 

Approval Code Approval HSR002515, Aerosol (Flammable) Group Standard 2020 Controls, EPA.

www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

**EC**<sub>50</sub> Ecotoxic Concentration 50% − concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

**EPA** Environmental Protection Authority (New Zealand)

Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised

edition, 2017, published by the United Nations.

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer

**LEL** Lower Explosive Limit

**LD**<sub>50</sub> Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

LC50 Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided

the TWA is not exceeded

**STOT RE**System Target Organ Toxicity – Repeated Exposure **STOT SE**System Target Organ Toxicity – Single Exposure

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UEL Upper Explosive Limit
UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site – www.worksafe.govt.nz.

Other References: Suppliers SDS

Review

DateReason for reviewNovember 2023Not applicable - New SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

